First of four pages

	POPULATION	ESTIMATE	S	LO	NG-TERM CARE		LOCAL HEA	LTH DEPARTM	IENTS
	01 Populati			ı Community Opt MA Waiver Pro					Per 10,000
Populat	ion per squ	are mile	13	j			Staffing - FTE Total staff Administrative Professional staf Technical/Parapro Support staff	Number	Population
County	ranking in	state (1-72) 66		Clients	Costs	Total staff	8	4.9
				COP MA Waiver * CIP1A CIP1B CIP2 COP-W CSLA Brain Injury	43	\$23,815	Administrative	1	0.7
Age	Female	Male	Total	MA Waiver *			Professional staf	f 4	2.7
0-14	1,580	1,650	3,220	CIP1A	8	\$454,088	Technical/Parapro	f. 2	1.2
15-19	540	570	1,110	CIP1B	27	\$387,440	Support staff	1	0.3
20-24	290	330	610 710	CIP2	13	\$165,831			
25-29	290 340	330 360	710	COP-W	71	\$338,740	Funding Total Local Taxes		Per capita
30-34	410 580	430	850	j CSLA		\$0	Total	\$436,578	\$26.71
35-39	580	600	1,180	Brain Injury	1	\$44,123	Local Taxes	\$178,774	\$10.94
40-44	640	670	1,310	i Total COP/Wvr	s 123	\$1,414,036			
45-54	1,170	1,240	2,420	CSLA			LICENSED ESTABLISHMENTS		
FF <i>C 1</i>	1 050	1,030	2,090	\$167,037 of the above waiver costs					
65-74	820	870	1 600	were paid as			Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	Capacity	Facilities
75-84	500	420	920	i using'COP fu			Bed & Breakfast	57	14
85+	500 230	110	1,680 920 340	I not included	in above CO	P costs.	Camps	1,581	45
	8,150	8,300	16,440				Hotels. Motels	2.656	174
	-,	.,	,	ˈ * Waiver cos	ts reported	here	Tourist Rooming	584	206
Age	Female	Male	Total	include federal funding.			Pools		17
0-17	1,950	2,020	3,960			•	Restaurants		80
		2,590	5,030	i	Clients	Costs	Vending		2
45-64	2,430 2,220 1,550	2,270	4,510	Fligible and	01.005	20000			_
65+	1 550	1 400	2,940	Eligible and Waiting	70	n/a			
Total	1,550 8,150	1,400 8,300	16,440	"""	, 0	117 G			
	0,200	0,000	_0,	(Family Care	not provided	in county)	WIC PA	RTICIPANTS	
Poverty	Estimates f	or 2000		i	·	•			
. over cy	Fsti	mate ((C T +/-)	i					Number
All ages 2 051 129			 Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available. 			 Pregnant/Postnart	ıım	242	
7111 46	-	12 7%	(6%)	l will he nha	sed into the	COP and MA	I Infants	a	260
Ages 0	-17	651	53	l Waivers as	availahle	cor and m	l Children age 1-4		359
7.863 0		16 7%	(8%)		ava i rabici		Pregnant/Postpart Infants Children, age 1-4 Total		861
		10.770	(0,0)	i i					00.
EMPLOYMENT I				! 			CANCER	TNCTDENCE	
Average wage for jobs covered				ı I Home Health A	gencies	1		INCIDENCE	
by unemployment compensation \$22,162			Patients	6010103	135			1999	
Note: bas	ed on place	of work	¥22,102	Patients Patients per	10 000 non	82	Primary Site		Number
	•		Annual	I			l Broact		17
abor For	ce Estimate	S	Average	i I Nursing Homes		7	Cervical		4
_	CC LJCIIIIate	,	Average	licensed hed	ς	136	Colorectal		16
Civilian Lahor Force 9 924			l Occupancy ra	5 † p	91 7%	Trachea, Bronchus	Lung	12	
Labor Force Estimates Average Civilian Labor Force 9,824 Number employed 9,261 Number unemployed 563 Unemployment rate 5.7%			l Residents on	Dec 31	177	l Prostate	, Lung	17	
Number unemployed 5,261			l Residents on	o 65 or olda	14/ r	Other sites		42	
Inamployment rate 5 70			I ner 1 AAA n	c ob or orue	/n	Total		108	
IIndmn			J.//0	ו מפט דימממ מ	vvu ra i IVII	40	ı ivlal		100

			NATA	LITY				
TOTAL LIVE BIRTHS		182	Birth Order		Percent	Marital Status		
			First	74	41	of Mother	Births	Percent
Crude Live Birth Rate		11.1	Second	53	29	Married	101	55
General Fertility Rat		64.9	Third	33	18	Not married	81	45
seller at Fertility Rat	e	04.3		33	12		0	45 0
			Fourth or higher	22		Unknown	U	U
Live births with repo		2 4 60/	Unknown	0	0			
congenital anomalies		3 1.6%				Education		
			First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Percent	Visit	Births	Percent	Elementary or le		1
Vaginal after			1st trimester	142	78	Some high school	L 35	19
previous cesarean	3	2	2nd trimester	32	18	High school	71	39
Forceps	0	0	2nd trimester 3rd trimester No visits Unknown	5	3	Some college	45	25
Other vaginal	132	73	No visits	Θ	0	College graduate		15
Primary cesarean	29	16	Unknown	3	2	Unknown	3	2
Repeat cesarean	18	10	OTIKITOWIT	3	_	OTIKHOWH	3	2
Other or unknown	0	0	Number of Prenatal			Smoking Status		
other of ulikilowii	9	U			Dorcont		Dirth:	Porcont
Dirthugiaht	Dintha	Dorcort	Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	BILLUS	Percent	No visits	0	9	Smoker	53	29
<1,500 gm	4	2.2	1-4	10	5	Nonsmoker	129	71
1,500-2,499 gm 2,500+ gm	/	3.8	5-9	71	39	Unknown	0	Θ
2,500+ gm	4 7 171 0	94.0	10-12	69	38			
Unknown	Θ	0	13+	32	18			
			Unknown	0	0			
			Low Rirthwoight		Trimoct	er of First Prenata	 al Visit	
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other	'Ilnknown
Race of Mother	Births F	Percent	Births Percent	Rirtha	Percent	Rirths Parcant	Rirthe	Percent
White	125	69	11 8.8	99	79	21 17	5	4
				23	/ 3	21 1/	5	4
Black		0		45	7.5		÷	÷
Other	57	31		43	75	11 19	3	5
Unknown	0	0					· 	
	E /	ertility	Low Birthweight (under 2,500 gm)	1c+ Tr	Trimest	er of First Prenata 2nd Trimester		'Unknown
Age of Mother	Births		Births Percent	ISL II	Percent	Births Percent		Percent
		Kate 	יוונווס רפונפוונ *	אוו נווס	rercent	ייווט דפונפוונ *	שוו נווט	reiteilt
<15	1		•	•		T .	•	•
15-17	7	19	÷	6	86	1 14	:	;
18-19	24	142	2 8.3	18	75	5 21	1	4
20-24	60	209	6 10.0	48	80	12 20		•
25-29	51	148	2 3.9	39	76	7 14	5	10
30-34	21	51	1 4.8	18	86	3 14		
35-39	12	21		7	58	4 33	ĺ	8
40+	6	9	•	5	83		ī	17
Unknown	Ö		· ·	5		• •	_	Ξ,
J.III.IOWII	3		• •	•	•		•	•
eenage Births	32	60	* Not	reported	: age or r	ace category has le	ess than 5	births

MORBIDITY			MO I	<pre><!--ALI Y</th--><th></th><th></th></pre>					
				per 100,000 population.		- 1			
	neonatal, and postneonatal death rates are per 1,000 live births.								
REPORTED* CASES OF SELECTED DISEASES	Perinatal and fetal death rates are per 1,000 live births plus								
I KETOKTED CASES OF SELECTED DISEASES	fetal deaths. Rates are not calculated for fewer than 20 deaths.								
	i retat deatiis.	. Rates o	are not car	Cutateu for rewer than .	20 deaths.	!			
l Bissess	TOTAL DEATHS		212	1. 6.1		!			
Disease Number	TOTAL DEATHS		212	Selected		Į.			
Campylobacter Enteritis 20	Crude Death Ra	ate	1,287	Underlying Cause	Deaths Rat				
J Glaidlasis				Heart Disease (total)	56 34				
Hepatitis Type A 0				Ischemic heart disea:	se 43 26				
Hepatitis Type B** <5	j Age	Deaths	Rate	Cancer (total)	45 27	3 İ			
Hepatitis NANB/C <5	i 1-4	_		Trachea/Bronchus/Lun	g 15	. i			
Legionnaire's 0	j <u>5</u> -14	i	•	[Calamas+al		· i			
Lyme 14	15-19	-	•	Colorectal Female Breast	3	*			
Measles 0	1 20-34	7	•	Cerebrovascular Diseas		i			
Meningitis, Aseptic 0	35-54	22	448	Lower Poen Disease		-			
Meningitis, Aseptic	55-64	16	440	Lower Resp. Disease Pneumonia & Influenza	9 4	. !			
Manuary			2 211	Fileuilloii ia & IIII LueiiZa	4 1.6	. !			
Mumps 0	65-74	54		Accidents	16	. !			
Pertussis 0	75-84	51	5,536	Motor vehicle	9	· !			
Salmonellosis <5	85+	60	17,325	Diabetes	3	.			
Shigellosis 0				Infectious & Parasiti	c 3	.			
Tuberculosis 0				Suicide	5	.			
	Infant					- 1			
* 2001 provisional data	Mortality	Deaths	Rate	i * Rate for female brea	ast cancer base	d			
<pre> ** Includes all positive HBsAg</pre>	i Total Infant	1	•	j on female popula	ation.	į			
i test results	Mortality Total Infant Neonatal Postneonatal			į ' '		į			
	Postneonatal	1		ALCOHOL AND DRUG ABUS	E AS UNDERLYING	i			
	Unknown	-		OR CONTRIBUTING CA		i			
Sexually Transmitted Disease		•	•		32 3. 22	i			
Chlamydia Trachomatis 20	Race of Mother			Alcohol	7	i			
Genital Herpes <5	White	1		Alcohol Other Drugs Both Mentioned	,	. !			
Gonorrhea <5	l Black			Both Montioned	2	. !			
Syphilis 0	l Other			i both hentroned	•	. !			
j sypiiilis	Unknown	•	•	 MOTOR VEHIC	E CDACHEC	ļ			
	I UNKNOWN	•	•	MOTOR VEHIC	LE CRASHES	İ			
	! 5			!		. !			
	Birthweight			Note: These data are		ion			
IMMUNIZATIONS	<1,500 gm		•	of crash, not of	on residence.	ļ			
	Sirthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown					-			
Children in Grades K-12 by	2,500+ gm	1	•	Type of Motor	Persons Perso	ns			
l Compliance Level	Unknown			Vehicle Crash	Injured Kill	ed İ			
Compliant 2,589	İ			Total Crashes	151	11 İ			
Compliant 2,589 Non-compliant 92	İ			Type of Motor Vehicle Crash Total Crashes Alcohol-Related	31	8 i			
Percent Compliant 96.6	Perinatal			With Citation:	~ -	-			
	Mortality	Deaths	Rate	For OWI	41	0 ¦			
	Total Perinatal	7		For Speeding	34	ĭi			
	Neonatal	۷	•	For Speeding Motorcyclist	5	1			
I I	Neonatal Fetal	· 7	•	Bicyclist	9	1 0			
] 	l iciai	2	•	Pedestrian	1	0			
<u> </u>	1			reuestrian	<u>T</u>	ا ق			

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related
Total 102 6.2 4.8 \$3,363
18-44 61 12.1 4.7 \$3,167
45-64 32 7.1 3.5 \$2,980 Injury-Related: All \$21 \$38 \$21 Injury: Hip Fracture

Total 25 1.5 5.5 \$11,995 \$18 65+ 23 7.8 5.3 \$11,885 \$93 \$156 Injury: Poisonings
Total 23 1.4 1.9 \$2,079 \$3
18-44 16 \$18 \$68 Psychiatric
Total 86 5.2 7.7 \$5,286
<18 14 . .
18-44 41 8.1 6.1 \$4,101
45-64 18 . . .
65+ 13 . . . Chronic Obstructive Pulmonary Disease Total 61 3.7 3.7 \$5,395
<18 6 . . .
18-44 5 . . .
45-64 12 . .
65+ 38 12.9 4.0 \$5,681

Drug-Related
Total 13 . . .
18-44 8 . . . \$28 \$20 \$33 \$73 Coronary Heart Disease Total 99 6.0 3.2 \$11,266 \$68 45-64 27 6.0 1.9 \$9,006 \$54 65+ 68 23.1 3.8 \$12,647 \$292 | Total | 2,026 | 123.0 | 3.4 | \$6,189 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$761 | \$76 Malignant Neoplasms (Cancers): All Neoplasms: Female Breast (rates for female population) ----- PREVENTABLE HOSPITALIZATIONS* ------Total 343 20.8 3.7 \$5,530 \$115 <18 27 6.8 1.6 \$2,036 \$14 18-44 54 10.7 2.4 \$4,062 \$44 45-64 62 13.8 3.3 \$5,227 \$72 65+ 200 67.8 4.4 \$6,493 \$440 Total 7 Neoplasms: Colo-rectal * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. iabetes | The definition of preventable mospitalizations in zooi

Total 34 2.1 3.7 \$6,170 \$13 | is consistent with the 1997 definition.

65+ 11 | Please refer to the note at the bottom of this page in the Diabetes 1997 report for an explanation of the change made between 1996 and 1997.